
# House District 44

# Cancer Profile



June 2004

# **Impact of Cancer on your Constituents**

In the United States, 1 in 2 men and 1 in 3 women will develop a life threatening cancer during their lifetime. Most of these cancers are not the result of heredity, but occur because of people's lifestyles. The American Cancer Society (ACS) estimates that 1,368,030 new cases of cancer will be diagnosed in the United States in 2004. This means over 3,600 new diagnoses each day and 563,700 cancer deaths in the United States in 2004. In South Carolina over 20,000 new cases of cancer will be diagnosed in 2004 or over 55 new cancer cases diagnosed each day. This is twenty-two times the rate for AIDS in our state. 8,860 South Carolinians will die from cancer in 2004

Table 1. Actual Cancer Cases in 2000 and Deaths in 2002 for S.C. & House District 44

	South		House	
	Carolina		District 44	
	New	Lives	New	Lives
	Cases	Lost	Cases	Lost
All	17,861	8,319	118	69
Men	9,624	4,538	63	37
Women	8,237	3,781	55	32
White	13,309	6,068	83	48
Af-Am.	4,272	2,216	35	21

As seen in Table 1 there was a total of **118** new cancer cases in 2000 and **69** deaths from cancer during 2002 for this District.

Cancers diagnosed in late stages lessen the potential for successful treatment and raise the risk of premature loss of life. The following chart shows the percentage of cancers diagnosed in early and late stages of disease in South Carolina and in this District.




Figure 1. Cancers by Stage of Diagnosis in S.C. and House District 44, 1996-2000

### **Costs of Cancer to your District**

Using 2000 actual cancer cases for this District and estimates from the National Institutes of Health, the overall annual cost of cancer in District 44 for 2000 was \$17,427,751.82; \$5,802,803.05 for direct medical costs (total of all health expenditures), \$10,174,248.01 for indirect morbidity costs (lost productivity due to illness), and \$1,450,700.76 for indirect mortality costs (lost productivity due to premature death).

#### **Breast Cancer**

Breast cancer is the most commonly diagnosed cancer among women in South Carolina and South Carolina ranks 17<sup>th</sup> in the nation for breast cancer mortality. There were **2,710** new female breast cancer cases in 2000 and **627** deaths during 2002 in South

Carolina. While District 44 had 17 new female breast cancer cases in 2000 and 10 breast cancer deaths in 2002. Excellent methods of early detection are available for breast cancer. The SC Best Chance Network (BCN) is a federally funded program that provides breast cancer screening to women with financial barriers. In 2003, they screened 7.199 women.

# **Prostate Cancer**

Prostate cancer is the most commonly diagnosed cancer among men in South Carolina. Moreover, South Carolina ranks 3<sup>rd</sup> in the nation for prostate cancer deaths. South Carolina men experienced 2,911 new prostate cancer cases in 2000, and 478 died from the disease in 2002. In District 44 there were 15 new prostate cancer cases in 2000 and less than 5 deaths from the disease in 2002. The ACS recommends that men with at least a ten-year life expectancy begin prostate cancer screening at age 50 through vearly digital rectal examinations (DRE) and prostate-specific antigen (PSA) tests.

# **Colorectal Cancer**

Colorectal cancer is the 3<sup>rd</sup> most common cancer in men and women. South Carolina currently ranks 30<sup>th</sup> in the nation for colorectal cancer deaths. There were 2.079 new colorectal cancer cases in 2000 and 806 colorectal cancer deaths in South Carolina during 2002. In District 44 there were 25 cases in 2000 and less than 5 colorectal cancer deaths in 2002. Currently there are 5 different screening options for colorectal cancer. It is recommended that both men and women, beginning at age 50, have a yearly fecal occult blood test (FOBT) plus flexible sigmoidoscopy every 5 years.

#### **Lung Cancer**

Lung Cancer is the 2<sup>nd</sup> most common cancer in South Carolina and currently South Carolina ranks 21<sup>st</sup> in the nation for lung cancer deaths. In South Carolina there were 2,852 new lung cancer cases diagnosed in

2000 and **2.481** deaths in 2002. This means 19 new cases in 2000 and 20 lung cancer deaths in 2002 in District 44.

#### **Oral Cancer**

Oral cancer is the 9<sup>th</sup> most common cancer in South Carolina. Moreover, South Carolina ranks 2<sup>nd</sup> in the nation for deaths to oral cancer. South Carolina had 464 new oral cancer cases diagnosed in 2000 and 131 deaths in 2002. District 44 had less than 5 new cases in 2000 and no deaths in 2002 from this preventable cancer.

# **Cancer Policies**

In 2001, the SC legislature appropriated \$750,000 to match federal dollars for treating breast/cervical cancer cases found through the BCN screening programs. The central cancer registry also requires a state match for the federal funds received. C-Change "Collaborating to Conquer Cancer" (formerly the National Dialogue on Cancer) is an initiative to alert state legislators about opportunities to save lives by passage of cancer control policies.

#### Resources

#### **American Cancer Society**

Nancy Cheney, Director Government Relations- SC South Atlantic Division 128 Stonemark Lane Columbia, SC 29210 (803) 750-1693

#### **SC Cancer Alliance**

Terry Day, MD, Chair, Coordinating Council Alan Waln, SCCA Coordinator SC Dept. Health Environmental Control (803) 898-0754 walna@dhec.sc.gov

#### SC Central Cancer Registry

Susan Bolick-Aldrich, MSPH, CTR, Director Catishia Mosley, Graduate Assistant 2600 Bull Street, Columbia, SC 29201 (803) 898-3696 bolicks@dhec.sc.gov





th Carolina Department of Health and Environmental Control

Cases and Deaths between 5 and 9 were rounded to 10 and between 11 and 14 rounded to 15. District cases and deaths may not add up to District total due to rounding.

Rankings from Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER\*Stat Database: Mortality (1990-2000). Ranking includes all 50 states and Washington DC.